



A Production System of Formal Grammar for Industrial Automation Course

Frank Appiah

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

February 11, 2025

A Production System of Formal Grammar for Industrial Automation Course.

FRANK APPIAH.

KUMASI UNIVERSITY OF SCIENCE AND TECHNOLOGY.

appiahnsiahfrank@gmail.com.

Extended Abstract*. This research describes industrial automation courses[3] as a class of formal grammar. This definition is based on formal grammar as a production system, a particular notation of non-decidable grammar. This models industrial automation course as an offer of non-decidables whether service, project or training.

Keywords. service, project, training, non-decidables, industrial, automation.

Year of Study: 2020

Year of Publication: 2025

1 ***AFFILIATE. KUMASI UNIVERSITY OF SCIENCE AND TECHNOLOGY,
KUMASI, GHANA. DEPARTMENT OF COMPUTER.**

1 INTRODUCTION

This research is to note by a formal language or grammar, offers made a course centre based on industrial automation[3] setting. A production system[2] is used to generate a formal language in describing a non-decidable document by the centre.

A formal grammar[1, 2] as a production system consist of:

1. A finite Alphabet, Σ . The concept of alphabet used here is very general one.
2. A finite set of non-terminal symbols N .
3. A start symbol S taken out of the set of non-terminal symbol.
4. A finite set of generative rules R .

BNF as a context-free grammar[1, 2] is used to describe a class of decidables but the alternative the rules of a formal grammar is used here. The grammar defined from a production system is used to produce language sentences or document instances. A start symbol will start a production system. By applying the rules first to S , and then recursively to the outcome of the previous transformation, it is possible to generate a positive sentence of the formal language defined by the grammar[1]. Production will stop if there is no more non-terminal symbols. This example of automation grammar is a formal grammar and its formal language[1] generatives. Industrial-Automation grammar is a particular formal language and undecidable.

2 FORMAL INDUSTRIAL-AUTOMATION GRAMMAR

A total of 5 formal grammars of industrial-automation grammar[2] is needed but only 3 produced in this section. These course grammars includes *Scada*, *Hmi*, *Vfd*, *Cai* and *Gwc*.

2.1 Formal Scada Grammar

A formal Scada consists of:

- Σ is $\{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, -, a, \dots, z, A \dots Z, ., \$\}$
- N is $\{SCADA, COURSE, WMI, IFX, WCC, VCT, RSV, \}$.
- S is SCADA
- R are
 1. SCADA $\rightarrow$ COURSE
 2. COURSE $\rightarrow$ WMI
 3. COURSE $\rightarrow$ WMI.IFX
 4. COURSE $\rightarrow$ WMI.IFX.WCC

5. COURSE ---> WMI.IFX.WCC.VCT
6. COURSE ---> WMI.IFX.WCC.VCT.RSV
7. WMI ---> WONDERWARE-INTOUCH
8. IFX --->IFIX
9. WCC --->WINCC
10. VCT --->VIJEO-CITECT
11. RSV --->RSVIEW.

A Scada course is now in production system.

A student enrolls for a scada course. The following selection is made to generate course:

SCADA	START SYMBOL
\$COURSE	after rule (1)
\$WMI	after rule (2)
<u>\$WONDERWARE-INTOUCH.</u>	<u>after rule (7)</u>

A second student came after the first finished enrollment. The following selection is made to generate course:

SCADA	Start Symbol
\$COURSE	after rule (1)
\$WMI.IFX.WCC	after rule (4)
\$WONDERWARE-INTOUCH.IFX.WCC	after rule (7)
\$WONDERWARE-INTOUCH.IFIX.WCC	after rule (8)
<u>\$WONDERWARE-INTOUCH.IFIX.WINCC</u>	<u>after rule (9).</u>

The third did a selection of 4 from 5 courses and this generated the production system:

SCADA	START SYMBOL
\$COURSE	after rule (1)
\$WMI.IFX.WCC.VCT	after rule (5)
\$WONDERWARE-INTOUCH.IFX.WCC	after rule (7)
\$WONDERWARE-INTOUCH.IFIX.WCC	after rule (8)
\$WONDERWARE-INTOUCH.IFIX.WINCC	after rule (9)
<u>\$WONDERWARE-INTOUCH.IFIX.WINCC.VIJEO-VITECT.</u>	<u>after rule 10</u>

The fourth student preparing to enroll in 2 courses has a production system for the selection:

```
SCADA START SYMBOL
$COURSE      after rule (1)
$WMI.IFX     after rule (3)
$WONDERWARE-INTOUCH.IFX after rule (7)
$WONDERWARE-INTOUCH.IFIX. after rule (8)
```

The fifth student did a selection of 5 courses and this generated the production system:

```
SCADA START SYMBOL
$COURSE      after rule (1)
$WMI.IFX.WCC.VCT.RSV      after rule (5)
$WONDERWARE-INTOUCH.IFX.WCC.RSV after rule (7)
$WONDERWARE-INTOUCH.IFIX.WCC.RSV after rule (8)
$WONDERWARE-INTOUCH.IFX.WINCC.RSV after rule (9)
$WONDERWARE-INTOUCH.IFIX.WINCC.VIJE0-VITECT.RSV after
rule (10)
$WONDERWARE-INTOUCH.IFIX.WINCC.VIJE0-VITECT.RSVIEW. after
rule (11)
```

2.2 Formal HMI Grammar

A formal Hmi consists of:

- $\sum is \{0,1,2,3,4,5,6,7,8,9,-,a,...z,A...Z,.,\$ \}$
- $N is \{HMI, COURSE, PAW, TOH, DET, FAT \}$.
- S is HMI
- R are
 1. $HMI \rightarrow COURSE.DAYS$
 2. $COURSE \rightarrow PAW$
 3. $COURSE \rightarrow PAW.TOH$
 4. $COURSE \rightarrow PAW.TOH.DET$
 5. $COURSE \rightarrow PAW.TOH.DET.FAT$
 6. $DAYS \rightarrow 5$
 7. $DAYS \rightarrow 10$

8. DAYS ---> 15
9. DAYS --->20
10. PAW ---> PANEL-VIEW
11. TOH --->TOUCH
12. DET --->DELTA
13. FAT ---> FACTORY-TALK.

A student choose a course and this generates the production system:

HMI	Start Symbol
\$COURSE.DAYS	after rule (1)
\$COURSE.5	after rule (6)
\$PAW.5	after rule (2)
<u>\$PANEL-VIEW.5.</u>	<u>after rule (10)</u>

A student from Kumasi chooses 3 courses from HMI production system and that gives:

HMI	Start Symbol
\$COURSE.DAYS	after rule (1)
\$PAW.TOH.DET.DAYS	after rule (6)
\$PANEL-VIEW.TOH.DET.DAYS	after rule (10)
\$PANEL-VIEW.TOUCH.DET.DAYS	after rule (11)
\$PANEL-VIEW.TOUCH.DELTA.DAYS	after rule (12)
<u>\$PANEL-VIEW.TOUCH.DELATA.10.</u>	<u>after rule (7)</u>

A third student select four courses and HMI production system gives:

HMI	Start Symbol
\$COURSE.DAYS	after rule (1)
\$PAW.TOH.DET.FAT.DAYS	after rule (6)
\$PANEL-VIEW.TOH.DET.FAT.DAYS	after rule (10)
\$PANEL-VIEW.TOUCH.DET.FAT.DAYS	after rule (11)
\$PANEL-VIEW.TOUCH.DELTA.FAT.DAYS	after rule (12)
\$PANEL-VIEW.TOUCH.DELTA.FACTORY-TALK.DAYS	after rule (13)
<u>\$PANEL-VIEW.TOUCH.DELATA.FACTORY-TALK.15.</u>	<u>after</u>
<u>rule (8)</u>	

The next student after the third student who selected 4 made a selection of 2 courses and that gives a production system:

HMI	Start Symbol
\$COURSE.DAYS	after rule (1)
\$PAW.TOH.DAYS	after rule (6)
\$PANEL-VIEW.TOH.DAYS	after rule (10)
\$PANEL-VIEW.TOUCH.DAYS	after rule (11)
\$PANEL-VIEW.TOUCH.10.	after rule (7)

2.3 Formal VFD Grammar

A formal Vfd consists of:

- $\sum$ is $\{0,1,2,3,4,5,6,7,8,9,-,a,...z,A...Z,.,\$ \}$
- N is $\{VFD, COURSE, POF, YAA, DEL, ABB, EME, SCH\}$.
- S is VFD
- R are
 1. VFD ---> COURSE.DAY
 2. COURSE - --> POF
 3. COURSE ---> POF.YAA
 4. COURSE ---> POF.YAA.DEL
 5. COURSE ---> POF.YAA.DEL.ABB
 6. COURSE ---> POF.YAA.DEL.ABB.EME
 7. COURSE ---> POF.YAA.DEL.ABB.EME.SCH
 8. POF ---> POWERFLEX
 9. YAA ---> YASKAWA
 10. DEL ---> DELTA
 11. EME ---> EMERSION
 12. SCH ---> SCHNEIDER
 13. DAY ---> 5

A VFD student enrolls for 3 subjects in this course and that gives a production system:

VFD	Start Symbol
\$COURSE.DAY	after rule (1)
\$POF.YAA.DEL.DAY	after rule (4)
\$POWERFLEX.YAA.DEL.DAY	after rule (8)

\$POWERFLEX.YASKAWA.DEL.DAY	after rule (9)
\$POWERFLEX.YASKAWA.DELTA.DAY	after rule (10)
<u>\$POWERFLEX.YASKAWA.DELTA.5.</u>	<u>after rule (13)</u>

A VFD student enrolls for 2 subjects in this course and that gives a production system:

VFD	Start Symbol
\$COURSE.DAY	after rule (1)
\$POF.YAA.DAY	after rule (4)
\$POWERFLEX.YAA.DAY	after rule (8)
\$POWERFLEX.YASKAWA.DAY	after rule (9)
<u>\$POWERFLEX.YASKAWA.5</u>	<u>after rule (13)</u>

A VFD student enrolls for 4 subjects in this course and that gives a production system:

VFD	Start Symbol
\$COURSE.DAY	after rule (1)
\$POF.YAA.DEL.ABB.DAY	after rule (4)
\$POWERFLEX.YAA.DEL.ABB.DAY	after rule (8)
\$POWERFLEX.YASKAWA.DEL.ABB.DAY	after rule (9)
\$POWERFLEX.YASKAWA.DELTA.ABB.DAY	after rule (10)
<u>\$POWERFLEX.YASKAWA.DELTA.ABB.5.</u>	<u>after rule (13)</u>

A VFD student enrolls for 5 subjects in this course and that gives a production system:

VFD	Start Symbol
\$COURSE.DAY	after rule (1)
\$POF.YAA.DEL.ABB.EME.DAY	after rule (4)
\$POWERFLEX.YAA.DEL.ABB.EME.DAY	after rule (8)
\$POWERFLEX.YASKAWA.DEL.ABB.EME.DAY	after rule (9)
\$POWERFLEX.YASKAWA.DELTA.ABB.EME.DAY	after rule (10)
\$POWERFLEX.YASKAWA.DELTA.ABB.EME.5	after rule (13)
<u>\$POWERFLEX.YASKAWA.DELTA.ABB.EMERSION.5.</u>	<u>after rule (11)</u>

A VFD student enrolls for 6 subjects in this course and that gives a production system:

VFD	Start Symbol
\$COURSE.DAY	after rule (1)
\$POF.YAA.DEL.ABB.EME.SCH.DAY	after rule (4)
\$POWERFLEX.YAA.DEL.ABB.EME.SCH.DAY	after rule (8)
\$POWERFLEX.YASKAWA.DEL.ABB.EME.SCH.DAY	after rule (9)
\$POWERFLEX.YASKAWA.DELTA.ABB.EME.SCH.DAY	after rule (10)
\$POWERFLEX.YASKAWA.DELTA.ABB.EME.SCH.DAY	after rule (13)
\$POWERFLEX.YASKAWA.DELTA.ABB.EMERSION.SCH.5.	after rule (11)
\$POWERFLEX.YASKAWA.DELTA.ABB.EMERSION.SCHNEIDER.5.	after rule (12)

3 CONCLUSION

This research work concludes on formal grammar and its production system. In here, 3 different industrial-automation grammar are produced and a language is made from the production system for each. Industrial-automation grammar considered Human Machine Interface, Variable Frequency Drive and Supervisory Control And Data Acquisition courses and their grammar.

Compliance with Ethical Standards

(In case of funding) Funding: N/A

Conflict of Interest:

Author, Dr. Frank Appiah declares that he has no conflict of interest .

REFERENCES

1. Micheal Sipser(1997). Introduction to Theory of Computation. PWS Publishing House
2. Berthold Daum(2003). Modeling Business Objects with XML Schema. Morgan Hauffman.
3. APCS Automation(2018). Industrial Automation Training Courses Manual. Akpakpa.